Download and install the app 4stream from App store/google play.
Connect the DAC to your amplifier and start the DAC. Wait for a few seconds until you hear that the DAC is in setup mode.

3. Open the settings on your handheld device. And tap on WiFi.

You should get the list with available access points.

20:15	.1  ?
Settings Wi-Fi	Edit
Wi-Fi	
✓ Garage_5 Weak Security	<b>€</b>
NETWORKS	
A31Audio	<b>∻</b> (i)
A31Audio_0CD9	<del>?</del> (j)
Garage	🔒 🗢 🚺
Other	
Ask to Join Networks	Off >
Known networks will be joir no known networks are ava to manually select a networ	ned automatically. If ilable, you will have ′k.
Auto-Join Hotspot	Ask to Join >
Allow this device to automa nearby personal hotspots w network is available.	atically discover when no Wi-Fi

Choose A31Audio\_xxxx from the list and connect.

20:15		•11 4G
Settings	Wi-Fi	Edit
Wi-Fi		
✓ A31Audio_0 No Internet Con	CD9 inection	<b>ئ</b> ه (آ
MY NETWORKS		
Garage_5		🔒 🤝 i
OTHER NETWORK	S	
Garage		🔒 🗢 🚺
Other		
Ask to Join Net	tworks	Off >
Known networks w no known network to manually select	vill be joined a s are availabl a network.	automatically. If e, you will have
Auto-Join Hots	pot	Ask to Join >
Allow this device to nearby personal he network is availabl	o automatica otspots when	lly discover no Wi-Fi

Connected with no internet connection is OK.

\_\_\_\_\_

Now open the 4stream app and your device should be present on the screen.



Tap on + on the up right corner. The app searches now your wifi network for available access points.

After the search is finished you should get a list.



Choose from the list of available networks and tap continue.

20:32			
<	Device Network		
Please enter	the password for	this network	
Wi-Fi name:			
Garage		Change Wi-Fi	
Enter password			
		*	
	Continue		

Enter your password and tap continue.

20:32 🕇			
	Connected		
	$\bigcap$		
	( 🗸 )		
	$\sim$		
с	connected to the networ	k	
	Wi-Fi signal strength: 100%		
	Continue		
	Continue		

That is all.

On the next screen you can change the name of your DAC on the network or just tap on next to keep the default name.





The DAC is ready to use on your wireless network now.